

Table A: Fair or Poor General Health*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	97	12%	9 - 14
Age Group			
18-24	5	8%	1 - 16
25-34	4	3%	0 - 6
35-44	15	10%	5 - 16
45-54	23	12%	7 - 17
55-64	14	12%	5 - 18
65-74	18	20%	11 - 30
75+	18	26%	14 - 37
Gender			
Male	30	9%	6 - 13
Female	67	14%	10 - 17
Education			
< H.S. Grad	24	35%	21 - 48
High School Grad	40	14%	9 - 18
Some College	27	9%	5 - 13
College Graduate	6	3%	0 - 6
Income			
\$0-\$19,999	25	27%	16 - 37
\$20,000-\$34,999	23	12%	7 - 17
\$35,000-\$49,999	15	9%	4 - 14
\$50,000+	4	2%	0 - 4
Marital Status			
Married	39	9%	6 - 12
Divorced/Separated	14	11%	5 - 16
Widowed	30	33%	22 - 44
Never Mar./Unmar. Couple	13	10%	4 - 15
Employment			
Employed for Wages	38	8%	5 - 10
Self-Employed	2	4%	0 - 11
Not Emp for Wages	18	20%	11 - 30
Retired	39	24%	17 - 31
Other			
Limiting pain in last 30 days	55	31%	23 - 39
14+ of last 30 days anxious	21	18%	10 - 26
14+ of last 30 days sad	16	36%	20 - 52
Any activity limitation	47	42%	32 - 52
Diabetes	18	40%	24 - 56
Sedentary lifestyle	72	16%	12 - 19
Overweight/obese (BMI>=25)	64	15%	11 - 18
Current smoking	22	12%	7 - 18
No health insurance	6	15%	2 - 27
Couldn't afford doctor visit	14	23%	11 - 35
High blood pressure	42	21%	15 - 27
High cholesterol	23	13%	7 - 18

*Respondents who report their health in general as fair or poor (among all respondents).

Table B: Lacked Health Care Coverage*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	39	5%	3 - 7
Age Group			
18-24	8	17%	5 - 28
25-34	10	6%	2 - 10
35-44	12	5%	2 - 8
45-54	2	2%	0 - 4
55-64	5	4%	0 - 7
65-74	2	3%	0 - 7
75+	0	0%	-
Gender			
Male	10	4%	1 - 7
Female	29	6%	4 - 9
Education			
< H.S. Grad	9	23%	9 - 38
High School Grad	11	4%	2 - 7
Some College	14	4%	2 - 6
College Graduate	5	2%	0 - 4
Income			
\$0-\$19,999	13	15%	6 - 25
\$20,000-\$34,999	8	6%	2 - 10
\$35,000-\$49,999	2	1%	0 - 2
\$50,000+	3	2%	0 - 4
Marital Status			
Married	12	3%	1 - 4
Divorced/Separated	14	11%	5 - 18
Widowed	0	0%	-
Never Mar./Unmar. Couple	13	14%	6 - 22
Employment			
Employed for Wages	28	6%	3 - 8
Self-Employed	3	5%	0 - 12
Not Emp for Wages	6	10%	1 - 19
Retired	2	2%	0 - 4
Other			
Limiting pain in last 30 days	10	6%	2 - 11
14+ of last 30 days anxious	9	9%	3 - 16
14+ of last 30 days sad	8	21%	6 - 36
Sedentary lifestyle	24	6%	4 - 9
Overweight/obese (BMI>=25)	14	3%	1 - 5
Current smoking	16	9%	4 - 15
Fair or poor health	6	7%	1 - 13
Couldn't afford doctor visit	17	31%	16 - 46
Lacked clinical breast exam	1	3%	0 - 9
Lacked pap smear	7	14%	3 - 26
Have a child at home	21	8%	4 - 12

*Respondents reporting no health insurance of any kind at the time of the survey (among all respondents).

Table C: Unable to See a Doctor Due to Cost in Past 12 Months*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	59	7%	5 - 9
Age Group			
18-24	7	11%	2 - 19
25-34	18	12%	6 - 19
35-44	15	7%	3 - 10
45-54	10	6%	2 - 11
55-64	4	4%	0 - 7
65-74	4	4%	0 - 9
75+	1	1%	0 - 3
Gender			
Male	11	4%	1 - 6
Female	48	10%	7 - 13
Education			
< H.S. Grad	11	18%	7 - 29
High School Grad	17	6%	3 - 10
Some College	21	6%	3 - 8
College Graduate	10	6%	2 - 10
Income			
\$0-\$19,999	20	22%	12 - 32
\$20,000-\$34,999	13	8%	3 - 13
\$35,000-\$49,999	5	4%	0 - 7
\$50,000+	3	2%	0 - 4
Marital Status			
Married	21	5%	2 - 7
Divorced/Separated	22	15%	9 - 22
Widowed	2	2%	0 - 5
Never Mar./Unmar. Couple	14	13%	5 - 20
Employment			
Employed for Wages	39	7%	5 - 10
Self-Employed	3	4%	0 - 10
Not Emp for Wages	10	14%	5 - 24
Retired	6	4%	1 - 7
Other			
Limiting pain in last 30 days	22	11%	6 - 16
14+ of last 30 days anxious	24	17%	10 - 25
14+ of last 30 days sad	13	23%	10 - 35
Any activity limitation	17	13%	7 - 20
Diabetes	5	12%	2 - 23
Sedentary lifestyle	36	9%	6 - 12
Overweight/obese (BMI>=25)	28	6%	4 - 9
Current smoking	26	15%	9 - 22
No health insurance	17	35%	18 - 53
Fair or poor health	14	14%	7 - 21
Lacked mammogram	4	21%	1 - 40
Lacked clinical breast exam	4	12%	0 - 25
Lacked mammogram and CBE	5	12%	1 - 23
Lacked pap smear	9	18%	5 - 30

*Respondents who needed to see a doctor in the last 12 months but were unable to because of the cost (among all respondents).

Table D: No Regular Health Care Professional*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	77	12%	9 - 14
Age Group			
18-24	16	27%	14 - 39
25-34	23	21%	12 - 30
35-44	15	9%	4 - 14
45-54	13	7%	3 - 11
55-64	7	7%	2 - 13
65-74	2	2%	0 - 4
75+	1	2%	0 - 7
Gender			
Male	48	17%	12 - 23
Female	29	6%	4 - 9
Education			
< H.S. Grad	8	19%	5 - 33
High School Grad	28	13%	8 - 18
Some College	24	8%	5 - 12
College Graduate	17	11%	6 - 17
Income			
\$0-\$19,999	12	21%	9 - 34
\$20,000-\$34,999	19	10%	5 - 15
\$35,000-\$49,999	20	14%	8 - 21
\$50,000+	14	8%	4 - 13
Marital Status			
Married	24	7%	4 - 9
Divorced/Separated	18	16%	9 - 23
Widowed	0	0%	-
Never Mar./Unmar. Couple	35	32%	21 - 42
Employment			
Employed for Wages	64	15%	11 - 19
Self-Employed	4	6%	0 - 13
Not Emp for Wages	3	5%	0 - 13
Retired	5	3%	0 - 7
Other			
Limiting pain in last 30 days	13	10%	4 - 16
14+ of last 30 days anxious	11	10%	4 - 17
14+ of last 30 days sad	7	15%	3 - 28
Diabetes	2	5%	0 - 12
Overweight/obese (BMI>=25)	40	11%	7 - 14
Current smoking	23	15%	8 - 22
No health insurance	12	37%	17 - 57
Fair or poor health	5	4%	0 - 8
Couldn't afford doctor visit	13	26%	12 - 40
High blood pressure	6	3%	0 - 6
High cholesterol	7	4%	1 - 7
Have a child at home	25	13%	8 - 18

*Respondents who reported that there is not one particular doctor or health professional that they usually go to when in need of routine medical care (among all respondents).

Table E: Hypertension*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	197	24%	21 - 27
Age Group			
18-24	7	12%	3 - 21
25-34	12	8%	3 - 13
35-44	30	19%	12 - 27
45-54	47	28%	20 - 36
55-64	35	39%	28 - 49
65-74	33	34%	23 - 45
75+	33	46%	33 - 59
Gender			
Male	65	23%	17 - 28
Female	132	25%	21 - 30
Education			
< H.S. Grad	26	36%	22 - 49
High School Grad	65	23%	17 - 28
Some College	60	23%	17 - 29
College Graduate	45	24%	17 - 30
Income			
\$0-\$19,999	27	27%	17 - 37
\$20,000-\$34,999	44	23%	16 - 30
\$35,000-\$49,999	42	25%	18 - 32
\$50,000+	31	20%	13 - 26
Marital Status			
Married	92	23%	18 - 27
Divorced/Separated	27	18%	11 - 25
Widowed	51	53%	43 - 64
Never Mar./Unmar. Couple	24	18%	10 - 26
Employment			
Employed for Wages	97	20%	16 - 24
Self-Employed	10	18%	5 - 31
Not Emp for Wages	21	24%	14 - 34
Retired	67	40%	32 - 48
Other			
Limiting pain in last 30 days	60	35%	27 - 43
14+ of last 30 days anxious	28	27%	17 - 36
14+ of last 30 days sad	15	35%	19 - 51
Any activity limitation	42	39%	29 - 49
Diabetes	27	59%	43 - 76
Overweight/obese (BMI>=25)	122	29%	24 - 34
Current smoking	30	17%	11 - 23
Fair or poor health	42	43%	32 - 54
High cholesterol	67	41%	33 - 50

*Respondents who have been told that they have high blood pressure (among all respondents).

Table F: High Blood Cholesterol*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	166	29%	25 - 34
Age Group			
18-24	2	15%	0 - 36
25-34	6	12%	2 - 21
35-44	25	24%	15 - 33
45-54	42	29%	21 - 37
55-64	45	52%	40 - 63
65-74	26	32%	21 - 44
75+	20	32%	19 - 45
Gender			
Male	56	27%	21 - 34
Female	110	31%	26 - 36
Education			
< H.S. Grad	8	22%	7 - 38
High School Grad	58	29%	22 - 36
Some College	62	33%	26 - 41
College Graduate	37	26%	18 - 34
Income			
\$0-\$19,999	24	38%	25 - 52
\$20,000-\$34,999	32	26%	17 - 35
\$35,000-\$49,999	32	31%	21 - 40
\$50,000+	36	28%	19 - 36
Marital Status			
Married	94	30%	25 - 36
Divorced/Separated	32	32%	21 - 42
Widowed	27	32%	21 - 42
Never Mar./Unmar. Couple	12	21%	9 - 32
Employment			
Employed for Wages	89	28%	23 - 34
Self-Employed	11	23%	9 - 36
Not Emp for Wages	18	31%	18 - 43
Retired	47	34%	25 - 43
Other			
Limiting pain in last 30 days	42	34%	25 - 43
14+ of last 30 days anxious	22	23%	13 - 33
14+ of last 30 days sad	12	34%	16 - 52
Any activity limitation	34	36%	25 - 46
Diabetes	15	40%	22 - 58
Sedentary lifestyle	78	26%	20 - 32
Overweight/obese (BMI>=25)	103	33%	27 - 38
Fair or poor health	23	33%	21 - 45
Couldn't afford doctor visit	11	37%	17 - 57
High blood pressure	67	42%	33 - 50

*Respondents who have had their blood cholesterol checked and been told that they have high blood cholesterol (among all respondents reporting having their blood cholesterol checked).

Table G: Diabetes Mellitus*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	44	5%	3 - 7
Age Group			
18-44	8	2%	1 - 4
45-64	20	7%	4 - 11
65+	16	10%	5 - 15
Gender			
Male	11	4%	1 - 6
Female	33	6%	4 - 9
Education			
< H.S. Grad	8	11%	3 - 20
High School Grad	19	6%	3 - 9
Some College	13	4%	2 - 7
College Graduate	3	2%	0 - 3
Income			
\$0-\$34,999	19	7%	4 - 10
\$35,000-\$49,999	7	4%	1 - 7
\$50,000+	3	2%	0 - 4
Marital Status			
Married	20	5%	3 - 7
Divorced/Separated	8	6%	2 - 11
Widowed	14	16%	7 - 24
Never Mar./Unmar. Couple	2	1%	0 - 3
Employment			
Employed for Wages	15	3%	1 - 4
Self-Employed	1	2%	0 - 5
Not Emp for Wages	10	11%	4 - 18
Retired	18	11%	6 - 17
Other			
Limiting pain in last 30 days	15	8%	4 - 13
14+ of last 30 days anxious	9	8%	3 - 14
14+ of last 30 days sad	4	10%	0 - 20
Any activity limitation	16	16%	9 - 24
Overweight/obese (BMI>=25)	37	8%	5 - 11
Fair or poor health	18	18%	9 - 26
Couldn't afford doctor visit	5	9%	1 - 17
High blood pressure	27	13%	8 - 17
High cholesterol	15	8%	4 - 12

*Respondents ever told they had diabetes, excluding diabetes limited to pregnancy only (among all respondents).

Table H: Sedentary Lifestyle*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	396	54%	50 - 58
Age Group			
18-24	33	55%	41 - 70
25-34	67	58%	48 - 69
35-44	86	57%	48 - 66
45-54	85	51%	42 - 60
55-64	51	54%	43 - 65
65-74	37	45%	33 - 57
75+	37	51%	38 - 64
Gender			
Male	140	54%	47 - 60
Female	256	54%	49 - 59
Education			
< H.S. Grad	45	72%	60 - 85
High School Grad	146	59%	52 - 66
Some College	130	52%	44 - 59
College Graduate	74	43%	35 - 51
Income			
\$0-\$19,999	45	51%	38 - 64
\$20,000-\$34,999	97	59%	51 - 68
\$35,000-\$49,999	84	56%	48 - 65
\$50,000+	61	37%	29 - 45
Marital Status			
Married	196	50%	45 - 56
Divorced/Separated	70	57%	47 - 67
Widowed	62	68%	58 - 78
Never Mar./Unmar. Couple	61	56%	45 - 67
Employment			
Employed for Wages	249	54%	49 - 59
Self-Employed	20	47%	30 - 64
Not Emp for Wages	46	61%	49 - 74
Retired	78	52%	43 - 60
Other			
Limiting pain in last 30 days	102	58%	49 - 67
14+ of last 30 days anxious	61	58%	47 - 69
14+ of last 30 days sad	28	64%	48 - 80
Any activity limitation	70	63%	53 - 73
Diabetes	28	65%	49 - 81
Overweight/obese (BMI>=25)	218	55%	50 - 61
Current smoking	94	61%	52 - 70
No health insurance	24	65%	47 - 83
Fair or poor health	72	73%	63 - 84
High blood pressure	113	58%	50 - 66

*Respondents reporting that they do not engage in leisure time exercise at least 3 times a week for at least 20 minutes each time (among all respondents).

Table I: No Regular Physical Activity*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	548	74%	70 - 78
Age Group			
18-24	43	73%	61 - 86
25-34	93	81%	73 - 90
35-44	122	81%	75 - 88
45-54	121	70%	62 - 78
55-64	66	69%	59 - 80
65-74	55	65%	54 - 77
75+	48	67%	54 - 79
Gender			
Male	196	74%	68 - 80
Female	352	74%	70 - 78
Education			
< H.S. Grad	54	86%	76 - 96
High School Grad	193	80%	74 - 85
Some College	180	71%	65 - 78
College Graduate	119	65%	57 - 73
Income			
\$0-\$19,999	63	75%	65 - 86
\$20,000-\$34,999	129	77%	70 - 84
\$35,000-\$49,999	119	75%	68 - 83
\$50,000+	100	64%	55 - 72
Marital Status			
Married	274	71%	66 - 76
Divorced/Separated	99	77%	68 - 85
Widowed	73	79%	71 - 88
Never Mar./Unmar. Couple	92	79%	71 - 88
Employment			
Employed for Wages	353	76%	71 - 80
Self-Employed	30	67%	52 - 83
Not Emp for Wages	56	73%	61 - 85
Retired	105	69%	61 - 77
Other			
14+ of last 30 days anxious	79	79%	70 - 88
14+ of last 30 days sad	35	77%	63 - 92
Any activity limitation	85	76%	67 - 85
Diabetes	32	74%	58 - 89
Overweight/obese (BMI>=25)	284	72%	67 - 77
Current smoking	127	83%	76 - 90
No health insurance	30	77%	61 - 93
Fair or poor health	82	84%	76 - 93
High blood pressure	149	75%	68 - 82

*Respondents reporting that they do not engage in physical activity at least 5 times a week for at least 30 minutes each time (among all respondents).

Table J: Failed to Always Use Seat Belt*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	262	38%	34 - 42
Age Group			
18-24	35	58%	45 - 72
25-34	48	43%	32 - 54
35-44	51	33%	25 - 42
45-54	53	32%	24 - 40
55-64	31	33%	23 - 44
65-74	30	39%	27 - 50
75+	14	23%	11 - 34
Gender			
Male	126	47%	40 - 54
Female	136	29%	25 - 34
Education			
< H.S. Grad	31	53%	39 - 68
High School Grad	86	39%	32 - 46
Some College	91	38%	31 - 45
College Graduate	54	29%	22 - 37
Income			
\$0-\$19,999	34	43%	31 - 56
\$20,000-\$34,999	73	46%	38 - 55
\$35,000-\$49,999	53	35%	27 - 44
\$50,000+	47	31%	23 - 39
Marital Status			
Married	130	35%	29 - 40
Divorced/Separated	46	38%	29 - 48
Widowed	24	26%	16 - 35
Never Mar./Unmar. Couple	62	56%	46 - 67
Employment			
Employed for Wages	174	40%	34 - 45
Self-Employed	15	33%	18 - 48
Not Emp for Wages	26	39%	26 - 53
Retired	46	33%	25 - 41
Other			
Limiting pain in last 30 days	60	42%	33 - 51
14+ of last 30 days anxious	43	44%	33 - 56
14+ of last 30 days sad	23	55%	38 - 71
Current smoking	66	48%	39 - 57
Have a child at home	64	32%	25 - 39

*Respondents reporting that they do not always use a seat belt (among all respondents).

Table K: Child Aged 0 to 15 Failed to Always Use Safety Restraint*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	21	11%	6 - 17
Age Group of Oldest Child			
0-4	3	12%	0 - 25
5-9	3	4%	0 - 8
10-15	12	16%	6 - 25
Education of Adult Respondent			
< H.S. Grad	3	35%	0 - 73
High School Grad	7	14%	3 - 25
Some College	7	7%	1 - 12
College Graduate	4	10%	0 - 19
Household Income			
\$0-\$19,999	3	12%	0 - 27
\$20,000-\$34,999	7	25%	7 - 43
\$35,000-\$49,999	5	6%	0 - 13
\$50,000+	2	2%	0 - 6
Marital Status of Adult Respondent			
Married	14	11%	5 - 18
Divorced/Separated	4	8%	0 - 16
Widowed	0	0%	-
Never Mar./Unmar. Couple	3	20%	0 - 47
Other **			
More than two hours of TV	10	10%	3 - 18
Media Content Rules	4	16%	0 - 33
Any day unsupervised	7	35%	10 - 60
>1 Household	4	16%	0 - 35
No bedtime rules	15	11%	5 - 17
No TV Hours Rules	9	16%	5 - 27

*Respondents reporting that their oldest child between the ages of 0-15 is not always restrained by safety seat or seat belt (among children ages 0-15, weighted for children ages 0-17).

Table L: Smokes Cigarettes*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	159	22%	18 - 25
Age Group			
18-24	16	27%	14 - 39
25-34	30	26%	17 - 36
35-44	42	25%	18 - 32
45-54	30	19%	12 - 26
55-64	23	23%	14 - 32
65-74	16	21%	10 - 31
75+	2	2%	0 - 5
Gender			
Male	59	23%	17 - 29
Female	100	21%	17 - 25
Education			
< H.S. Grad	17	29%	15 - 42
High School Grad	60	26%	20 - 33
Some College	62	23%	17 - 29
College Graduate	20	11%	6 - 16
Income			
\$0-\$19,999	18	18%	9 - 27
\$20,000-\$34,999	53	33%	25 - 41
\$35,000-\$49,999	34	21%	14 - 28
\$50,000+	24	17%	10 - 23
Marital Status			
Married	71	19%	14 - 23
Divorced/Separated	50	39%	30 - 49
Widowed	6	6%	1 - 10
Never Mar./Unmar. Couple	32	30%	20 - 40
Employment			
Employed for Wages	119	24%	20 - 29
Self-Employed	5	13%	0 - 26
Not Emp for Wages	20	30%	17 - 42
Retired	15	12%	6 - 18
Other			
Limiting pain in last 30 days	38	23%	16 - 31
14+ of last 30 days anxious	42	41%	30 - 52
14+ of last 30 days sad	23	47%	31 - 64
Any activity limitation	23	20%	12 - 28
Diabetes	8	17%	5 - 29
Overweight/obese (BMI \geq 25)	70	18%	13 - 22
No health insurance	16	38%	19 - 57
Fair or poor health	22	23%	14 - 33
High blood pressure	30	15%	10 - 21
Have a child at home	46	20%	14 - 27

*Respondents who reported smoking cigarettes some days or all days (among all respondents).

**Table M: Smokeless Tobacco Use
Among Males***

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	24	10%	6 - 14
Age Group			
18-44	20	16%	9 - 24
45-64	3	3%	0 - 6
65+	1	3%	0 - 8
Education			
< H.S. Grad	2	10%	0 - 27
High School Grad	8	11%	3 - 18
Some College	8	11%	3 - 19
College Graduate	6	8%	1 - 15
Income			
\$0-\$34,999	10	15%	5 - 26
\$35,000-\$49,999	9	15%	5 - 25
\$50,000+	4	5%	0 - 11
Marital Status			
Married	9	7%	3 - 12
Divorced/Separated	6	15%	3 - 27
Widowed	0	0%	-
Never Mar./Unmar. Couple	9	17%	5 - 30
Employment			
Employed for Wages	19	11%	6 - 17
Self-Employed	3	11%	0 - 23
Not Emp for Wages	1	15%	0 - 46
Retired	1	3%	0 - 8

*Males who reported currently using smokeless tobacco (among all male respondents).

**Table N: Overweight*
BMI \geq 27.8 (M) or \geq 27.3 (F)**

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	251	35%	31 - 39
Age Group			
18-24	10	17%	6 - 28
25-34	26	22%	13 - 31
35-44	57	41%	32 - 50
45-54	63	42%	33 - 51
55-64	48	56%	45 - 67
65-74	28	34%	22 - 45
75+	19	29%	17 - 41
Gender			
Male	101	35%	29 - 42
Female	150	34%	30 - 39
Education			
< H.S. Grad	32	55%	39 - 71
High School Grad	73	31%	25 - 38
Some College	92	37%	30 - 44
College Graduate	54	30%	22 - 38
Income			
\$0-\$19,999	32	40%	27 - 53
\$20,000-\$34,999	53	31%	23 - 39
\$35,000-\$49,999	51	32%	23 - 40
\$50,000+	58	37%	29 - 45
Marital Status			
Married	147	39%	34 - 44
Divorced/Separated	42	34%	25 - 43
Widowed	27	32%	21 - 43
Never Mar./Unmar. Couple	35	24%	15 - 33
Employment			
Employed for Wages	165	37%	32 - 42
Self-Employed	15	25%	12 - 38
Not Emp for Wages	24	37%	23 - 51
Retired	46	31%	23 - 39
Other			
Limiting pain in last 30 days	74	45%	36 - 55
14+ of last 30 days anxious	34	29%	19 - 39
14+ of last 30 days sad	18	41%	24 - 58
Any activity limitation	48	44%	33 - 54
Diabetes	28	64%	48 - 81
Sedentary lifestyle	153	39%	34 - 45
Fair or poor health	47	49%	38 - 61
Couldn't afford doctor visit	19	37%	22 - 53
High blood pressure	94	55%	46 - 63
High cholesterol	70	46%	37 - 54

*Body mass index \geq 27.8 for males and \geq 27.3 for females (National Health and Nutrition Examination Survey standard).

**Table O: Overweight or Obese*
BMI >= 25**

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	391	58%	54 - 62
Age Group			
18-24	21	34%	20 - 47
25-34	50	51%	39 - 62
35-44	85	65%	57 - 74
45-54	98	69%	61 - 77
55-64	62	72%	61 - 82
65-74	45	57%	45 - 69
75+	30	50%	37 - 64
Gender			
Male	189	68%	62 - 74
Female	202	47%	42 - 53
Education			
< H.S. Grad	37	65%	49 - 80
High School Grad	119	55%	47 - 62
Some College	135	58%	51 - 65
College Graduate	99	60%	52 - 68
Income			
\$0-\$19,999	44	56%	42 - 69
\$20,000-\$34,999	81	50%	42 - 59
\$35,000-\$49,999	85	59%	50 - 68
\$50,000+	100	66%	57 - 74
Marital Status			
Married	229	64%	59 - 69
Divorced/Separated	64	52%	42 - 62
Widowed	39	51%	39 - 63
Never Mar./Unmar. Couple	57	44%	33 - 55
Employment			
Employed for Wages	262	61%	56 - 67
Self-Employed	25	53%	36 - 69
Not Emp for Wages	31	48%	33 - 63
Retired	72	53%	44 - 62
Other			
Limiting pain in last 30 days	98	63%	53 - 72
14+ of last 30 days anxious	59	61%	49 - 72
14+ of last 30 days sad	26	68%	52 - 84
Any activity limitation	71	69%	59 - 79
Diabetes	37	91%	82 - 99
Fair or poor health	64	71%	61 - 82
Couldn't afford doctor visit	28	55%	39 - 72
High blood pressure	122	72%	65 - 79
Male smokeless tobacco use	18	68%	44 - 92
High cholesterol	103	69%	61 - 77

*Overweight or obese by National Heart, Lung, and Blood Institute standard: body mass index >=25 (among all respondents).

**Table P: Obese*
BMI >= 30**

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	147	20%	16 - 23
Age Group			
18-24	3	3%	0 - 8
25-34	16	13%	6 - 19
35-44	29	21%	13 - 28
45-54	38	24%	16 - 31
55-64	32	39%	27 - 50
65-74	17	21%	12 - 31
75+	12	19%	8 - 29
Gender			
Male	61	20%	15 - 25
Female	86	20%	16 - 24
Education			
< H.S. Grad	21	33%	19 - 47
High School Grad	44	19%	13 - 24
Some College	52	19%	14 - 24
College Graduate	30	17%	11 - 23
Income			
\$0-\$19,999	21	25%	14 - 36
\$20,000-\$34,999	33	20%	13 - 26
\$35,000-\$49,999	29	17%	11 - 23
\$50,000+	32	20%	13 - 27
Marital Status			
Married	83	22%	17 - 26
Divorced/Separated	27	22%	14 - 30
Widowed	18	20%	11 - 29
Never Mar./Unmar. Couple	19	11%	5 - 16
Employment			
Employed for Wages	92	19%	15 - 23
Self-Employed	6	12%	2 - 22
Not Emp for Wages	18	25%	13 - 36
Retired	30	20%	13 - 28
Other			
Limiting pain in last 30 days	48	28%	21 - 36
14+ of last 30 days anxious	26	22%	13 - 31
14+ of last 30 days sad	12	25%	10 - 39
Any activity limitation	35	33%	23 - 43
Diabetes	20	46%	30 - 63
Sedentary lifestyle	96	23%	19 - 28
No health insurance	5	12%	1 - 24
Fair or poor health	28	28%	18 - 37
Couldn't afford doctor visit	11	19%	7 - 30
High blood pressure	72	40%	32 - 48
High cholesterol	38	24%	17 - 32

*Obese by National Heart, Lung, and Blood Institute standard: body mass index >= 30 (among all respondents).

Table Q: Lacked Recent Mammogram*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	24	11%	6 - 16
Age Group			
50-69	16	12%	6 - 18
70+	8	10%	2 - 17
Education			
< H.S. Grad	4	11%	0 - 23
High School Grad	6	8%	1 - 15
Some College	11	17%	7 - 27
College Graduate	3	7%	0 - 14
Income			
\$0-\$34,999	10	11%	4 - 18
\$35,000-\$49,999	6	15%	3 - 28
\$50,000+	2	4%	0 - 11
Marital Status			
Married	10	10%	4 - 16
Divorced/Separated	3	10%	0 - 22
Widowed	11	14%	5 - 22
Never Mar./Unmar. Couple	0	0%	-
Employment			
Employed for Wages	11	14%	6 - 23
Self-Employed	1	8%	0 - 28
Not Emp for Wages	1	4%	0 - 12
Retired	11	11%	4 - 18
Other			
Limiting pain in last 30 days	9	12%	4 - 20
Any activity limitation	8	16%	5 - 27
Sedentary lifestyle	17	16%	8 - 23
Overweight/obese (BMI \geq 25)	12	13%	6 - 21
Current smoking	5	12%	1 - 23
Fair or poor health	10	22%	8 - 35
Couldn't afford doctor visit	4	43%	6 - 81
Lacked clinical breast exam	11	32%	14 - 50
Lacked mammogram and CBE	24	51%	34 - 68
Lacked pap smear	6	41%	11 - 71

*Female respondents aged 50 and older who had not had a mammogram within the past two years.

Table R: Lacked Recent Clinical Breast Exam*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	31	17%	11 - 22
Age Group			
50-69	13	11%	5 - 17
70+	18	25%	15 - 36
Education			
< H.S. Grad	4	14%	0 - 28
High School Grad	10	12%	4 - 19
Some College	12	21%	10 - 33
College Graduate	5	23%	4 - 42
Income			
\$0-\$34,999	9	11%	4 - 18
\$35,000-\$49,999	7	22%	6 - 37
\$50,000+	5	18%	2 - 34
Marital Status			
Married	13	17%	8 - 26
Divorced/Separated	3	12%	0 - 27
Widowed	14	18%	9 - 28
Never Mar./Unmar. Couple	1	11%	0 - 38
Employment			
Employed for Wages	11	17%	7 - 27
Self-Employed	0	0%	-
Not Emp for Wages	0	0%	-
Retired	20	23%	13 - 32
Other			
Limiting pain in last 30 days	8	13%	4 - 21
Any activity limitation	6	14%	3 - 26
Sedentary lifestyle	20	21%	13 - 30
Overweight/obese (BMI \geq 25)	11	13%	5 - 21
Current smoking	6	17%	3 - 30
Fair or poor health	5	10%	1 - 20
Couldn't afford doctor visit	4	38%	2 - 74
High blood pressure	11	15%	6 - 24
Lacked mammogram	11	53%	29 - 76
Lacked mammogram and CBE	31	79%	66 - 91
Lacked pap smear	6	46%	15 - 76
High cholesterol	11	16%	7 - 25

*Female respondents aged 50 and older who had not had a clinical breast exam within the past two years.

Table S: Lacked Clinical Breast Exam, Mammogram, or Both*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	44	23%	16 - 29
Age Group			
50-69	23	18%	11 - 25
70+	21	30%	18 - 41
Education			
< H.S. Grad	5	16%	2 - 31
High School Grad	13	16%	7 - 25
Some College	18	31%	18 - 43
College Graduate	8	29%	10 - 48
Income			
\$0-\$34,999	15	17%	9 - 26
\$35,000-\$49,999	10	29%	12 - 45
\$50,000+	6	20%	4 - 36
Marital Status			
Married	18	22%	12 - 31
Divorced/Separated	5	19%	3 - 35
Widowed	20	26%	16 - 37
Never Mar./Unmar. Couple	1	11%	0 - 38
Employment			
Employed for Wages	16	22%	12 - 33
Self-Employed	1	8%	0 - 28
Not Emp for Wages	1	4%	0 - 12
Retired	26	29%	19 - 39
Other			
Limiting pain in last 30 days	12	18%	8 - 28
Sedentary lifestyle	28	28%	19 - 38
Overweight/obese (BMI \geq 25)	17	20%	11 - 29
Current smoking	9	24%	9 - 40
Fair or poor health	12	27%	12 - 42
Couldn't afford doctor visit	5	51%	14 - 88
High blood pressure	15	21%	11 - 31
High cholesterol	14	19%	10 - 29

*Female respondents aged 50 and older who had not had a clinical breast exam, a mammogram, or both within the past two years.

Table T: Women with Hysterectomy*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	166	34%	29 - 38
Age Group			
18-24	1	3%	0 - 11
25-34	10	13%	5 - 20
35-44	25	25%	16 - 35
45-54	38	39%	29 - 50
55-64	29	54%	40 - 68
65-74	28	56%	41 - 71
75+	35	60%	45 - 74
Education			
< H.S. Grad	23	52%	33 - 70
High School Grad	61	36%	28 - 44
Some College	59	37%	29 - 46
College Graduate	23	19%	11 - 27
Income			
\$0-\$19,999	25	34%	22 - 47
\$20,000-\$34,999	41	36%	26 - 46
\$35,000-\$49,999	35	36%	25 - 46
\$50,000+	22	28%	18 - 39
Marital Status			
Married	81	34%	28 - 41
Divorced/Separated	26	29%	19 - 40
Widowed	49	54%	43 - 66
Never Mar./Unmar. Couple	8	13%	4 - 22
Employment			
Employed for Wages	80	27%	22 - 33
Self-Employed	6	28%	7 - 49
Not Emp for Wages	25	37%	24 - 51
Retired	54	50%	40 - 61
Other			
Limiting pain in last 30 days	57	45%	35 - 55
14+ of last 30 days anxious	29	39%	27 - 52
14+ of last 30 days sad	20	69%	51 - 87
Any activity limitation	39	51%	38 - 63
Diabetes	18	56%	37 - 74
Overweight/obese (BMI \geq 25)	80	41%	34 - 49
Fair or poor health	36	52%	38 - 66
High blood pressure	66	48%	39 - 58
Lacked clinical breast exam	20	61%	42 - 81
Lacked mammogram and CBE	24	52%	36 - 69
High cholesterol	58	53%	43 - 63

*Female respondents who reported having had a hysterectomy (among all women respondents).

Table U: Lacked Recent Pap Smear Test*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	49	16%	11 - 21
Age Group			
18-39	18	12%	6 - 18
40-49	14	19%	9 - 30
50-69	4	9%	0 - 18
70+	13	38%	20 - 56
Education			
< H.S. Grad	4	17%	0 - 36
High School Grad	18	20%	10 - 29
Some College	16	15%	8 - 23
College Graduate	11	12%	5 - 20
Income			
\$0-\$34,999	24	16%	9 - 22
\$35,000-\$49,999	6	12%	3 - 21
\$50,000+	11	21%	9 - 33
Marital Status			
Married	19	14%	8 - 20
Divorced/Separated	9	17%	5 - 28
Widowed	11	28%	12 - 44
Never Mar./Unmar. Couple	10	15%	4 - 26
Employment			
Employed for Wages	27	14%	9 - 20
Self-Employed	3	15%	0 - 33
Not Emp for Wages	4	8%	0 - 17
Retired	15	30%	15 - 44
Other			
14+ of last 30 days anxious	9	20%	7 - 32
Any activity limitation	13	30%	14 - 47
Overweight/obese (BMI>=25)	24	22%	13 - 30
No health insurance	7	30%	7 - 53
Fair or poor health	9	28%	9 - 47
Couldn't afford doctor visit	9	25%	8 - 43

*Female respondents who had not had a pap smear within the past two years (among women ages 18 and older with a uterine cervix).

Table V: Lacked Influenza Vaccination*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	504	70%	67 - 74
Age Group			
18-24	53	88%	80 - 96
25-34	97	85%	77 - 93
35-44	131	87%	82 - 93
45-54	115	75%	67 - 83
55-64	53	57%	46 - 67
65-74	26	32%	21 - 43
75+	22	31%	19 - 43
Gender			
Male	191	73%	67 - 79
Female	313	67%	63 - 72
Education			
< H.S. Grad	37	61%	47 - 75
High School Grad	166	69%	62 - 75
Some College	168	73%	67 - 79
College Graduate	132	72%	65 - 79
Income			
\$0-\$19,999	49	56%	43 - 68
\$20,000-\$34,999	119	72%	64 - 79
\$35,000-\$49,999	111	72%	64 - 80
\$50,000+	121	75%	68 - 82
Marital Status			
Married	273	70%	66 - 75
Divorced/Separated	94	77%	69 - 84
Widowed	34	35%	25 - 45
Never Mar./Unmar. Couple	99	83%	76 - 91
Employment			
Employed for Wages	355	78%	74 - 82
Self-Employed	40	81%	69 - 94
Not Emp for Wages	51	72%	61 - 83
Retired	54	36%	28 - 45
Other			
Limiting pain in last 30 days	97	60%	51 - 68
Any activity limitation	61	55%	45 - 65
Diabetes	22	47%	31 - 64
Sedentary lifestyle	288	78%	74 - 83
Overweight/obese (BMI>=25)	257	69%	64 - 74
Current smoking	111	71%	63 - 79
No health insurance	33	91%	82 - 100
Fair or poor health	59	61%	50 - 72
Couldn't afford doctor visit	45	79%	67 - 91
High blood pressure	101	55%	48 - 63
Male smokeless tobacco use	21	84%	64 - 100
Have a child at home	171	84%	79 - 90

*Respondents who had not received a vaccine to prevent influenza in the last 12 months (among all respondents).

Table W: Lacked Pneumonia Vaccination*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	569	80%	77 - 83
Age Group			
18-24	49	91%	83 - 99
25-34	105	93%	88 - 99
35-44	144	94%	90 - 98
45-54	133	88%	82 - 94
55-64	70	77%	67 - 86
65-74	39	50%	38 - 62
75+	20	30%	18 - 42
Gender			
Male	209	83%	78 - 87
Female	360	77%	73 - 81
Education			
< H.S. Grad	40	70%	57 - 82
High School Grad	175	76%	70 - 81
Some College	200	84%	79 - 89
College Graduate	153	84%	78 - 90
Income			
\$0-\$19,999	48	56%	43 - 68
\$20,000-\$34,999	126	75%	68 - 82
\$35,000-\$49,999	137	90%	86 - 95
\$50,000+	143	89%	84 - 94
Marital Status			
Married	318	83%	79 - 87
Divorced/Separated	111	86%	80 - 93
Widowed	37	36%	26 - 47
Never Mar./Unmar. Couple	96	86%	79 - 93
Employment			
Employed for Wages	410	91%	88 - 94
Self-Employed	36	76%	62 - 90
Not Emp for Wages	63	86%	78 - 94
Retired	56	39%	31 - 48
Other			
Limiting pain in last 30 days	104	65%	56 - 73
Any activity limitation	67	59%	49 - 69
Diabetes	18	38%	22 - 54
Sedentary lifestyle	315	83%	80 - 87
Overweight/obese (BMI>=25)	297	80%	76 - 84
Current smoking	133	86%	80 - 92
No health insurance	31	84%	70 - 98
Fair or poor health	54	58%	47 - 69
Couldn't afford doctor visit	49	85%	74 - 95
High blood pressure	130	69%	62 - 76
Have a child at home	191	93%	90 - 97

*Respondents who had never received a vaccine to prevent pneumococcal disease (among all respondents).

Table X: Self-Reported HIV Risk*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	18	3%	2 - 5
Age Group			
18-24	4	6%	0 - 12
25-34	5	4%	0 - 7
35-44	5	3%	0 - 6
45-54	2	1%	0 - 3
55-64	2	2%	0 - 5
Gender			
Male	7	3%	1 - 6
Female	11	3%	1 - 5
Education			
< H.S. Grad	3	9%	0 - 21
High School Grad	6	4%	1 - 7
Some College	5	2%	0 - 4
College Graduate	4	2%	0 - 4
Income			
\$0-\$19,999	3	7%	0 - 16
\$20,000-\$34,999	6	4%	1 - 8
\$35,000-\$49,999	3	2%	0 - 4
\$50,000+	3	2%	0 - 5
Marital Status			
Married	7	2%	0 - 4
Divorced/Separated	5	5%	0 - 10
Widowed	1	6%	0 - 20
Never Mar./Unmar. Couple	5	4%	0 - 9
Employment			
Employed for Wages	17	4%	2 - 6
Self-Employed	1	1%	0 - 4
Not Emp for Wages	0	0%	-
Retired	0	0%	-

*Respondents younger than 65 with self-reported risk for HIV as medium or high (among respondents aged 18 to 64).

Table Y: Any Activity Limitation*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	112	13%	11 - 16
Age Group			
18-24	4	5%	0 - 10
25-34	7	4%	1 - 7
35-44	15	7%	3 - 11
45-54	30	20%	13 - 27
55-64	16	15%	7 - 22
65-74	20	25%	15 - 35
75+	20	30%	18 - 42
Gender			
Male	36	11%	8 - 15
Female	76	15%	11 - 18
Education			
< H.S. Grad	19	25%	13 - 36
High School Grad	33	11%	7 - 15
Some College	37	15%	10 - 20
College Graduate	23	10%	6 - 14
Income			
\$0-\$19,999	20	21%	12 - 30
\$20,000-\$34,999	34	17%	11 - 23
\$35,000-\$49,999	21	13%	7 - 19
\$50,000+	14	7%	3 - 10
Marital Status			
Married	52	12%	9 - 15
Divorced/Separated	24	18%	11 - 25
Widowed	22	23%	14 - 33
Never Mar./Unmar. Couple	14	10%	4 - 15
Employment			
Employed for Wages	42	7%	5 - 10
Self-Employed	8	14%	4 - 24
Not Emp for Wages	22	27%	16 - 38
Retired	39	27%	19 - 35
Other			
Limiting pain in last 30 days	65	37%	29 - 46
14+ of last 30 days anxious	25	21%	12 - 29
14+ of last 30 days sad	14	29%	14 - 45
Diabetes	16	42%	26 - 59
Sedentary lifestyle	70	16%	12 - 19
Overweight/obese (BMI>=25)	71	16%	12 - 20
Fair or poor health	47	49%	37 - 60
Couldn't afford doctor visit	17	25%	13 - 37
High blood pressure	42	21%	15 - 28

*Respondents who reported that they had any limitation in any activities due to any impairment or health problem (among all respondents).

Table Z: Pain Limited Usual Activity*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	166	21%	18 - 24
Age Group			
18-24	10	22%	9 - 34
25-34	19	15%	7 - 22
35-44	29	14%	9 - 20
45-54	39	24%	17 - 31
55-64	18	18%	10 - 26
65-74	24	31%	20 - 42
75+	27	39%	26 - 51
Gender			
Male	46	16%	11 - 21
Female	120	26%	21 - 30
Education			
< H.S. Grad	33	50%	36 - 65
High School Grad	47	17%	12 - 23
Some College	57	23%	17 - 29
College Graduate	29	14%	9 - 20
Income			
\$0-\$19,999	29	36%	23 - 49
\$20,000-\$34,999	44	25%	18 - 33
\$35,000-\$49,999	33	20%	14 - 27
\$50,000+	18	10%	5 - 15
Marital Status			
Married	73	17%	13 - 21
Divorced/Separated	36	26%	18 - 35
Widowed	33	37%	26 - 47
Never Mar./Unmar. Couple	22	24%	14 - 34
Employment			
Employed for Wages	84	17%	13 - 21
Self-Employed	10	18%	7 - 30
Not Emp for Wages	25	34%	21 - 46
Retired	46	31%	23 - 39
Other			
14+ of last 30 days anxious	41	35%	24 - 45
14+ of last 30 days sad	25	55%	39 - 72
Any activity limitation	65	62%	51 - 72
Diabetes	15	37%	20 - 54
Sedentary lifestyle	102	23%	19 - 28
Overweight/obese (BMI>=25)	98	22%	18 - 27
Current smoking	38	22%	15 - 29
No health insurance	10	26%	9 - 43
Fair or poor health	55	57%	45 - 68
Couldn't afford doctor visit	22	33%	19 - 47
High blood pressure	60	31%	24 - 38
Male smokeless tobacco use	3	17%	0 - 38
High cholesterol	42	24%	17 - 31

*Respondents who reported one or more days in the past 30 where they had pain that limited their activity (among all respondents).

Table AA: Sad, Blue, Depressed*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	47	6%	4 - 7
Age Group			
18-24	2	4%	0 - 9
25-34	7	4%	1 - 6
35-44	12	8%	3 - 12
45-54	12	6%	3 - 10
55-64	5	4%	0 - 8
65-74	4	5%	0 - 10
75+	5	9%	0 - 18
Gender			
Male	16	5%	3 - 8
Female	31	6%	4 - 8
Education			
< H.S. Grad	8	14%	3 - 24
High School Grad	12	5%	2 - 8
Some College	23	7%	4 - 10
College Graduate	4	2%	0 - 4
Income			
\$0-\$19,999	7	7%	1 - 12
\$20,000-\$34,999	16	8%	4 - 12
\$35,000-\$49,999	9	5%	1 - 8
\$50,000+	5	3%	0 - 6
Marital Status			
Married	19	4%	2 - 6
Divorced/Separated	13	9%	4 - 15
Widowed	5	7%	0 - 14
Never Mar./Unmar. Couple	10	8%	3 - 13
Employment			
Employed for Wages	26	5%	3 - 7
Self-Employed	2	2%	0 - 6
Not Emp for Wages	11	14%	6 - 23
Retired	7	6%	1 - 10
Other			
Limiting pain in last 30 days	25	15%	9 - 22
14+ of last 30 days anxious	37	31%	21 - 41
Any activity limitation	14	13%	6 - 20
Diabetes	4	11%	0 - 23
Overweight/obese (BMI>=25)	26	7%	4 - 9
Current smoking	23	12%	7 - 17
No health insurance	8	24%	6 - 41
Fair or poor health	16	18%	9 - 27
Couldn't afford doctor visit	13	18%	8 - 29
High blood pressure	15	8%	4 - 13
Afraid to leave home at night	11	11%	4 - 18

*Respondents who reported 14 or more days in the past 30 where they felt sad, blue, or depressed (among all respondents).

Table BB: Worried, Tense, Anxious*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	107	15%	12 - 18
Age Group			
18-24	12	18%	7 - 28
25-34	22	19%	10 - 28
35-44	28	18%	11 - 26
45-54	21	13%	7 - 19
55-64	13	12%	5 - 19
65-74	5	6%	0 - 11
75+	6	10%	1 - 19
Gender			
Male	35	14%	9 - 19
Female	72	15%	12 - 19
Education			
< H.S. Grad	13	22%	10 - 34
High School Grad	32	14%	9 - 19
Some College	41	16%	11 - 21
College Graduate	21	11%	6 - 16
Income			
\$0-\$19,999	17	16%	8 - 25
\$20,000-\$34,999	34	20%	13 - 27
\$35,000-\$49,999	18	12%	6 - 18
\$50,000+	23	16%	9 - 22
Marital Status			
Married	49	13%	10 - 17
Divorced/Separated	30	23%	15 - 31
Widowed	9	10%	3 - 18
Never Mar./Unmar. Couple	19	16%	8 - 24
Employment			
Employed for Wages	79	16%	13 - 20
Self-Employed	5	15%	0 - 29
Not Emp for Wages	13	19%	9 - 29
Retired	10	7%	2 - 12
Other			
Limiting pain in last 30 days	41	24%	17 - 32
14+ of last 30 days sad	37	79%	65 - 92
Any activity limitation	25	24%	15 - 33
Diabetes	9	25%	9 - 40
Overweight/obese (BMI>=25)	59	15%	11 - 19
Current smoking	42	27%	19 - 35
No health insurance	9	28%	9 - 46
Fair or poor health	21	23%	13 - 33
Couldn't afford doctor visit	24	36%	22 - 51
High blood pressure	28	16%	10 - 23

*Respondents who reported 14 or more days in the past 30 where they felt worried, tense, or anxious (among all respondents).

Table CC: Not Enough Rest or Sleep*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	197	28%	24 - 32
Age Group			
18-24	23	40%	26 - 54
25-34	43	33%	23 - 43
35-44	52	35%	26 - 43
45-54	44	29%	21 - 37
55-64	21	22%	13 - 32
65-74	7	10%	3 - 18
75+	7	9%	2 - 17
Gender			
Male	69	27%	21 - 33
Female	128	29%	24 - 33
Education			
< H.S. Grad	20	32%	18 - 45
High School Grad	66	29%	23 - 36
Some College	72	29%	23 - 36
College Graduate	39	22%	15 - 29
Income			
\$0-\$19,999	25	31%	19 - 44
\$20,000-\$34,999	50	30%	22 - 38
\$35,000-\$49,999	54	35%	26 - 43
\$50,000+	40	27%	19 - 34
Marital Status			
Married	106	27%	22 - 32
Divorced/Separated	42	34%	24 - 43
Widowed	9	9%	3 - 15
Never Mar./Unmar. Couple	39	36%	26 - 47
Employment			
Employed for Wages	148	33%	28 - 37
Self-Employed	9	16%	5 - 26
Not Emp for Wages	29	45%	32 - 59
Retired	11	7%	3 - 12
Other			
Limiting pain in last 30 days	67	45%	36 - 54
14+ of last 30 days anxious	67	64%	54 - 75
14+ of last 30 days sad	34	75%	61 - 89
Any activity limitation	34	31%	21 - 41
Diabetes	14	37%	20 - 54
Overweight/obese (BMI>=25)	105	27%	22 - 32
Current smoking	65	40%	31 - 49
No health insurance	19	50%	30 - 70
Fair or poor health	38	45%	33 - 56

*Respondents who reported 14 or more days in the past 30 where they did not get enough rest or sleep (among all respondents).

Table DD: Not Very Healthy and Full of Energy*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	258	34%	30 - 37
Age Group			
18-24	26	42%	28 - 56
25-34	38	31%	21 - 40
35-44	65	39%	30 - 47
45-54	56	32%	24 - 40
55-64	25	26%	17 - 36
65-74	21	24%	14 - 35
75+	27	40%	27 - 53
Gender			
Male	82	30%	24 - 36
Female	176	37%	32 - 42
Education			
< H.S. Grad	34	52%	38 - 66
High School Grad	86	35%	28 - 42
Some College	85	33%	27 - 40
College Graduate	53	26%	19 - 33
Income			
\$0-\$19,999	40	38%	27 - 50
\$20,000-\$34,999	63	37%	29 - 45
\$35,000-\$49,999	61	39%	31 - 48
\$50,000+	43	26%	19 - 33
Marital Status			
Married	120	30%	25 - 35
Divorced/Separated	56	44%	35 - 54
Widowed	35	38%	28 - 49
Never Mar./Unmar. Couple	45	37%	26 - 47
Employment			
Employed for Wages	164	34%	29 - 39
Self-Employed	10	17%	6 - 28
Not Emp for Wages	35	49%	36 - 62
Retired	48	31%	23 - 39
Other			
14+ of last 30 days anxious	64	58%	47 - 69
14+ of last 30 days sad	36	76%	62 - 90
Any activity limitation	68	61%	51 - 71
Diabetes	22	55%	39 - 72
Sedentary lifestyle	158	40%	34 - 45
Overweight/obese (BMI>=25)	139	35%	29 - 40
Current smoking	67	43%	34 - 52
No health insurance	14	30%	13 - 46
Fair or poor health	67	70%	59 - 80
Couldn't afford doctor visit	29	43%	29 - 58
High blood pressure	75	39%	31 - 47
High cholesterol	56	33%	25 - 41

*Respondents who reported 14 or more days in the past 30 where they did not feel very healthy and full of energy (among all respondents).

Table EE: Two or More Hours of Television*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	104	53%	45 - 61
Age Group of Selected Child			
1-4	11	31%	13 - 48
5-9	39	69%	56 - 82
10-15	39	56%	42 - 71
16-17	15	51%	31 - 72
Education of Adult Respondent			
< H.S. Grad	4	59%	2 - 100
High School Grad	30	57%	41 - 72
Some College	48	66%	54 - 78
College Graduate	22	34%	20 - 47
Household Income			
\$0-\$9,999	5	100%	100 - 100
\$10,000-\$19,999	9	58%	26 - 89
\$20,000-\$34,999	16	42%	23 - 62
\$35,000-\$49,999	21	44%	27 - 61
\$50,000+	40	62%	47 - 77
Marital Status of Adult Respondent			
Married	73	52%	42 - 61
Divorced/Separated	23	53%	34 - 72
Widowed	0	0%	-
Never Mar./Unmar. Couple	7	67%	31 - 100
Other **			
Media Content Rules	28	51%	36 - 66
Any day unsupervised	15	64%	40 - 89
>1 Household	19	58%	38 - 79
No bedtime rules	90	62%	53 - 71
No TV Hours Rules	46	65%	52 - 78

*Respondents who reported that the selected child in their household watched two or more hours of television per day in the last week (among children ages one to 17, weighted to children ages 0 - 17).

Other:

**TV Hours Rules: Respondents reporting no rules about number of hours of TV per day for selected child

Media Content Rules: Respondent reporting no rules about program/movie content or no rules about video game content for selected child

Any day unsupervised: Respondents reporting selected child unsupervised after school one or more days per week

>1 Household: Respondents reporting that selected child splits time between separate households

No Bedtime Rules: Respondents reporting absence of rules about bedtime on school nights for selected child

Table FF: No Rules About Media Content*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	62	40%	31 - 49
Age Group of Selected Child			
5-9	23	46%	32 - 61
10-15	19	26%	14 - 38
16-17	20	62%	42 - 82
Education of Adult Respondent			
< H.S. Grad	2	40%	0 - 100
High School Grad	24	60%	43 - 77
Some College	16	22%	11 - 33
College Graduate	20	45%	28 - 63
Household Income			
\$0-\$9,999	2	32%	0 - 100
\$10,000-\$19,999	5	39%	7 - 71
\$20,000-\$34,999	13	57%	33 - 80
\$35,000-\$49,999	8	26%	8 - 43
\$50,000+	20	35%	20 - 49
Marital Status of Adult Respondent			
Married	42	39%	28 - 49
Divorced/Separated	13	36%	18 - 55
Never Mar./Unmar. Couple	6	72%	34 - 100
Other **			
More than two hours of TV	28	35%	23 - 47
Media Content Rules	62	100%	100 - 100
Any day unsupervised	9	42%	18 - 67
>1 Household	16	61%	41 - 81
No bedtime rules	51	38%	29 - 47
No TV Hours Rules	38	51%	38 - 64

*Respondents who reported no rules about program/movie content or no rules about video game content for the selected child (among children ages five to 17, weighted to children ages 0-17).

Other:

**TV Hours Rules: Respondents reporting no rules about number of hours of TV per day for selected child

Any day unsupervised: Respondents reporting selected child unsupervised after school one or more days per week

2+ Hours of TV: Respondents reporting that selected child spent two or more hours watching television on previous day

>1 Household: Respondents reporting that selected child splits time between separate households

No Bedtime Rules: Respondents reporting absence of rules about bedtime on school nights for selected child

Table GG: Child Unsupervised After School*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	24	34%	21 - 47
Age Group of Selected Child			
5-9	3	13%	0 - 28
10-15	15	41%	21 - 61
16-17	6	47%	14 - 81
Education of Adult Respondent			
< H.S. Grad	1	67%	0 - 100
High School Grad	6	28%	6 - 50
Some College	11	38%	16 - 59
College Graduate	6	33%	4 - 62
Household Income			
\$0-\$19,999	4	33%	0 - 67
\$20,000-\$34,999	5	69%	27 - 100
\$35,000-\$49,999	7	34%	6 - 63
\$50,000+	7	27%	7 - 48
Marital Status of Adult Respondent			
Married	18	35%	20 - 50
Divorced/Separated	5	33%	3 - 63
Widowed	0	0%	-
Never Mar./Unmar. Couple	1	26%	0 - 100
Other **			
More than two hours of TV	15	38%	21 - 56
Media Content Rules	7	63%	31 - 95
>1 Household	4	21%	0 - 44
No bedtime rules	21	33%	20 - 46
No TV Hours Rules	15	47%	26 - 67

*Respondents reporting the selected child was unsupervised after school one or more days in the last week (among respondents reporting children 5-17 currently in school; weighted for children 0-17).

Other:

**TV Hours Rules: Respondents reporting no rules about number of hours of TV per day for selected child

Media Content Rules: Respondent reporting no rules about program/movie content or no rules about video game content for selected child

Any day unsupervised: Respondents reporting selected child unsupervised after school one or more days per week

>1 Household: Respondents reporting that selected child splits time between separate households

No Bedtime Rules: Respondents reporting absence of rules about bedtime on school nights for selected child

Table HH: Possible Depression*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	163	20%	16 - 23
Age Group			
18-24	13	18%	8 - 28
25-34	30	22%	14 - 30
35-44	44	24%	17 - 31
45-54	36	22%	15 - 29
55-64	21	19%	11 - 27
65-74	13	15%	7 - 23
75+	6	9%	1 - 16
Gender			
Male	45	15%	10 - 20
Female	118	24%	20 - 28
Education			
< H.S. Grad	15	26%	13 - 39
High School Grad	48	18%	13 - 23
Some College	59	20%	15 - 25
College Graduate	41	19%	13 - 25
Income			
\$0-\$19,999	26	26%	16 - 37
\$20,000-\$34,999	50	28%	20 - 36
\$35,000-\$49,999	34	18%	12 - 24
\$50,000+	30	17%	11 - 23
Marital Status			
Married	72	17%	13 - 21
Divorced/Separated	51	38%	28 - 47
Widowed	11	12%	4 - 19
Never Mar./Unmar. Couple	29	20%	12 - 29
Employment			
Employed for Wages	109	20%	16 - 24
Self-Employed	9	16%	5 - 27
Not Emp for Wages	29	40%	27 - 53
Retired	15	9%	4 - 14
Other			
Limiting pain in last 30 days	56	31%	23 - 39
14+ of last 30 days anxious	50	40%	30 - 51
14+ of last 30 days sad	31	59%	43 - 76
Any activity limitation	37	29%	20 - 38
Diabetes	11	27%	12 - 43
No health insurance	15	38%	18 - 57
Fair or poor health	29	30%	20 - 40
Couldn't afford doctor visit	29	48%	32 - 63
High blood pressure	38	18%	12 - 24
Have a child at home	58	24%	18 - 30

*Respondents who reported that they might have had depression during the past five years (among all respondents).

Table II: Diagnosed with Depression*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	62	7%	5 - 9
Age Group			
18-24	1	2%	0 - 5
25-34	6	3%	0 - 6
35-44	21	11%	6 - 16
45-54	19	11%	6 - 16
55-64	8	6%	2 - 11
65-74	5	6%	0 - 11
75+	2	4%	0 - 11
Gender			
Male	13	4%	2 - 6
Female	49	10%	7 - 12
Education			
< H.S. Grad	8	13%	3 - 23
High School Grad	18	6%	3 - 9
Some College	26	8%	5 - 11
College Graduate	10	4%	1 - 7
Income			
\$0-\$19,999	15	17%	8 - 25
\$20,000-\$34,999	19	10%	5 - 14
\$35,000-\$49,999	12	6%	2 - 10
\$50,000+	7	3%	1 - 4
Marital Status			
Married	27	6%	3 - 8
Divorced/Separated	22	16%	9 - 22
Widowed	4	6%	0 - 12
Never Mar./Unmar. Couple	9	5%	1 - 9
Employment			
Employed for Wages	43	7%	5 - 9
Self-Employed	5	10%	1 - 20
Not Emp for Wages	11	14%	5 - 22
Retired	3	2%	0 - 6
Other			
Limiting pain in last 30 days	29	16%	10 - 22
14+ of last 30 days anxious	23	18%	10 - 26
14+ of last 30 days sad	18	40%	24 - 56
Any activity limitation	19	16%	8 - 23
Diabetes	6	15%	2 - 27
No health insurance	7	16%	3 - 30
Fair or poor health	13	15%	7 - 23
Couldn't afford doctor visit	8	13%	4 - 22
High blood pressure	21	11%	6 - 15

*Respondents reporting that they had been diagnosed with depression in the past five years (among all respondents).

Table JJ: Low Satisfaction with Health Care Coverage*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	60	8%	6 - 11
Age Group			
18-24	7	9%	2 - 16
25-34	13	13%	5 - 20
35-44	17	13%	7 - 20
45-54	11	6%	2 - 9
55-64	6	7%	1 - 12
65-74	4	4%	0 - 9
75+	2	2%	0 - 5
Gender			
Male	23	9%	5 - 13
Female	37	8%	6 - 11
Education			
< H.S. Grad	6	9%	1 - 18
High School Grad	15	8%	3 - 12
Some College	30	10%	6 - 14
College Graduate	9	7%	2 - 12
Income			
\$0-\$19,999	12	12%	5 - 19
\$20,000-\$34,999	17	12%	6 - 19
\$35,000-\$49,999	10	7%	2 - 12
\$50,000+	8	6%	2 - 10
Marital Status			
Married	25	8%	4 - 11
Divorced/Separated	16	12%	6 - 18
Widowed	2	2%	0 - 5
Never Mar./Unmar. Couple	17	13%	6 - 19
Employment			
Employed for Wages	43	10%	6 - 13
Self-Employed	4	15%	0 - 29
Not Emp for Wages	8	8%	2 - 14
Retired	5	3%	0 - 6
Other			
Limiting pain in last 30 days	15	8%	4 - 12
14+ of last 30 days anxious	26	26%	16 - 36
14+ of last 30 days sad	13	24%	11 - 37
Any activity limitation	17	12%	6 - 19
Sedentary lifestyle	37	9%	6 - 13
Overweight/obese (BMI>=25)	34	8%	5 - 11
Current smoking	27	17%	10 - 25
No health insurance	6	11%	1 - 22
Fair or poor health	19	21%	12 - 31
Couldn't afford doctor visit	21	34%	20 - 49
High blood pressure	10	6%	2 - 10
Have a child at home	21	9%	5 - 14

*Respondents reporting having fair or poor satisfaction with their health care (among all respondents reporting at least one usual place for health care).

Table KK: No Regular Health Care Location*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	48	7%	5 - 9
Age Group			
18-24	9	15%	4 - 25
25-34	13	11%	5 - 18
35-44	10	8%	3 - 12
45-54	8	3%	1 - 6
55-64	4	3%	0 - 7
65-74	1	1%	0 - 3
75+	3	3%	0 - 7
Gender			
Male	28	11%	7 - 15
Female	20	3%	2 - 5
Education			
< H.S. Grad	4	12%	0 - 25
High School Grad	17	7%	3 - 10
Some College	16	6%	3 - 9
College Graduate	11	6%	2 - 10
Income			
\$0-\$19,999	8	7%	2 - 13
\$20,000-\$34,999	13	7%	3 - 12
\$35,000-\$49,999	9	5%	2 - 9
\$50,000+	7	5%	1 - 10
Marital Status			
Married	14	4%	2 - 6
Divorced/Separated	11	10%	4 - 16
Widowed	4	3%	0 - 7
Never Mar./Unmar. Couple	19	17%	9 - 26
Employment			
Employed for Wages	36	9%	6 - 12
Self-Employed	3	4%	0 - 9
Not Emp for Wages	3	2%	0 - 4
Retired	6	3%	1 - 6
Other			
Limiting pain in last 30 days	8	5%	1 - 9
14+ of last 30 days anxious	9	7%	2 - 13
14+ of last 30 days sad	6	13%	1 - 25
Any activity limitation	5	3%	0 - 6
Diabetes	3	6%	0 - 12
Sedentary lifestyle	30	8%	5 - 11
Overweight/obese (BMI>=25)	29	8%	5 - 11
Current smoking	16	11%	4 - 17
No health insurance	7	25%	5 - 45
Fair or poor health	9	7%	2 - 12
Couldn't afford doctor visit	9	15%	4 - 27
High blood pressure	7	3%	0 - 5
High cholesterol	5	3%	0 - 6
Have a child at home	12	7%	3 - 11

*Respondents reporting having no particular place they go if they are sick or need advice about their health (among all respondents).

Table LL: Lost Access to Doctor*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	51	7%	5 - 9
Age Group			
18-24	4	7%	0 - 15
25-34	5	5%	0 - 10
35-44	18	11%	6 - 16
45-54	13	8%	4 - 13
55-64	2	2%	0 - 5
65-74	6	7%	1 - 14
75+	3	3%	0 - 7
Gender			
Male	10	4%	1 - 6
Female	41	10%	7 - 13
Education			
< H.S. Grad	5	9%	1 - 17
High School Grad	19	8%	4 - 11
Some College	18	7%	3 - 10
College Graduate	9	6%	2 - 10
Income			
\$0-\$19,999	7	11%	2 - 20
\$20,000-\$34,999	8	5%	2 - 9
\$35,000-\$49,999	9	6%	2 - 10
\$50,000+	12	7%	3 - 11
Marital Status			
Married	31	8%	5 - 10
Divorced/Separated	11	9%	4 - 15
Widowed	6	6%	1 - 11
Never Mar./Unmar. Couple	3	4%	0 - 9
Employment			
Employed for Wages	32	7%	4 - 10
Self-Employed	3	5%	0 - 11
Not Emp for Wages	7	12%	3 - 20
Retired	9	6%	2 - 9
Other			
Limiting pain in last 30 days	15	9%	4 - 15
14+ of last 30 days anxious	10	10%	3 - 16
14+ of last 30 days sad	2	4%	0 - 10
Any activity limitation	6	6%	1 - 10
Diabetes	2	5%	0 - 12
Fair or poor health	6	6%	1 - 11
Couldn't afford doctor visit	5	10%	1 - 19
High blood pressure	14	6%	3 - 9

*Respondents who reported that they have lost access to their doctor due to job change, a change in health care coverage, provider moving, or owing money to their provider (among respondents reporting having at least one usual place for health care and changing doctors within the past two years).

Table MM: Absent Six or More Days*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	101	18%	15 - 22
Age Group			
18-24	12	24%	11 - 36
25-34	29	24%	15 - 34
35-44	32	21%	13 - 28
45-54	19	13%	7 - 19
55-64	6	8%	1 - 14
65-74	2	12%	0 - 30
75+	1	50%	0 - 100
Gender			
Male	25	13%	8 - 18
Female	76	25%	19 - 30
Education			
< H.S. Grad	10	31%	11 - 51
High School Grad	28	19%	12 - 25
Some College	41	20%	13 - 26
College Graduate	22	14%	8 - 19
Income			
\$0-\$19,999	19	33%	18 - 49
\$20,000-\$34,999	28	26%	17 - 35
\$35,000-\$49,999	20	14%	7 - 20
\$50,000+	26	18%	11 - 25
Marital Status			
Married	51	16%	12 - 21
Divorced/Separated	30	29%	19 - 39
Widowed	3	18%	0 - 40
Never Mar./Unmar. Couple	17	18%	9 - 27
Employment			
Employed for Wages	95	19%	15 - 23
Self-Employed	4	9%	0 - 19
Not Emp for Wages	1	17%	0 - 82
Other			
Limiting pain in last 30 days	27	30%	19 - 41
14+ of last 30 days anxious	25	32%	20 - 44
14+ of last 30 days sad	7	21%	3 - 40
Any activity limitation	11	22%	9 - 35
Diabetes	6	45%	14 - 75
Sedentary lifestyle	47	17%	12 - 22
Overweight/obese (BMI>=25)	51	16%	11 - 20
Current smoking	28	20%	12 - 28
No health insurance	13	42%	20 - 64
Fair or poor health	11	23%	9 - 38
Couldn't afford doctor visit	18	34%	18 - 49
High blood pressure	20	19%	10 - 27
Male smokeless tobacco use	2	9%	0 - 22
High cholesterol	16	18%	9 - 26
Have a child at home	49	26%	19 - 34

*Respondents reporting being absent from work six or more days in the past year for any reason (among respondents reporting being employed).

Table NN: Lacked Recent Digital Rectal Exam*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	40	34%	25 - 44
Age Group			
50-64	27	40%	27 - 53
64-74	9	24%	8 - 40
75+	4	33%	1 - 66
Education			
< H.S. Grad	5	43%	9 - 77
High School Grad	15	38%	21 - 56
Some College	11	26%	10 - 42
College Graduate	9	35%	15 - 55
Income			
\$0-\$34,999	13	36%	18 - 54
\$35,000-\$49,999	7	31%	10 - 51
\$50,000+	7	25%	6 - 43
Marital Status			
Married	26	31%	20 - 42
Divorced/Separated	8	64%	35 - 93
Widowed	1	33%	0 - 100
Never Mar./Unmar. Couple	3	26%	0 - 59
Employment			
Employed for Wages	22	40%	25 - 55
Self-Employed	3	26%	0 - 54
Not Emp for Wages	1	20%	0 - 69
Retired	14	32%	16 - 47
Other			
Limiting pain in last 30 days	8	35%	12 - 57
14+ of last 30 days anxious	2	25%	0 - 63
14+ of last 30 days sad	2	39%	0 - 100
Any activity limitation	6	25%	5 - 45
Sedentary lifestyle	24	49%	34 - 65
Overweight/obese (BMI>=25)	31	36%	25 - 47
Current smoking	10	34%	14 - 54
No health insurance	1	22%	0 - 100
Fair or poor health	3	25%	0 - 54
High blood pressure	13	32%	15 - 49
High cholesterol	14	38%	20 - 57

*Respondents reporting not having a digital rectal exam to check for cancer or other health problems in the past two years (among male respondents 50 and older).

Table OO: Lacked Recent Prostate-Specific Antigen Test*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	31	28%	19 - 37
Age Group			
50-64	23	38%	24 - 51
65-74	5	15%	1 - 28
75+	3	17%	0 - 40
Education			
< H.S. Grad	5	40%	6 - 73
High School Grad	11	28%	12 - 43
Some College	11	34%	15 - 54
College Graduate	4	17%	1 - 34
Income			
\$0-\$34,999	8	21%	6 - 36
\$35,000-\$49,999	7	32%	11 - 53
\$50,000+	8	37%	14 - 60
Marital Status			
Married	20	25%	15 - 36
Divorced/Separated	7	57%	27 - 87
Widowed	0	0%	-
Never Mar./Unmar. Couple	3	32%	0 - 74
Employment			
Employed for Wages	21	41%	26 - 57
Self-Employed	1	9%	0 - 30
Not Emp for Wages	0	0%	-
Retired	9	20%	7 - 33
Other			
Limiting pain in last 30 days	5	20%	2 - 37
14+ of last 30 days anxious	4	44%	2 - 85
14+ of last 30 days sad	2	39%	0 - 100
Any activity limitation	4	15%	0 - 31
Diabetes	2	23%	0 - 58
Sedentary lifestyle	18	34%	20 - 48
Overweight/obese (BMI>=25)	23	29%	18 - 40
Current smoking	7	28%	7 - 49
No health insurance	1	22%	0 - 100
Fair or poor health	3	24%	0 - 52
High blood pressure	6	18%	4 - 33
High cholesterol	9	23%	8 - 39

*Respondents reporting not having a prostate-specific antigen blood test to check for prostate cancer in the past two years (among male respondents 50 and older).

Table PP: More Than Two Hours/Day of Leisure Computer and/or Television*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	256	37%	33 - 41
Age Group			
18-24	22	34%	20 - 47
25-34	40	40%	28 - 51
35-44	44	26%	19 - 34
45-54	59	42%	33 - 51
55-64	36	41%	30 - 53
65-74	34	46%	34 - 58
75+	21	33%	20 - 45
Gender			
Male	110	43%	36 - 50
Female	146	31%	26 - 36
Education			
< H.S. Grad	24	41%	26 - 56
High School Grad	83	38%	30 - 45
Some College	87	37%	30 - 44
College Graduate	61	34%	26 - 42
Income			
\$0-\$19,999	30	36%	24 - 49
\$20,000-\$34,999	73	48%	39 - 57
\$35,000-\$49,999	58	36%	28 - 45
\$50,000+	56	34%	26 - 43
Marital Status			
Married	130	36%	30 - 41
Divorced/Separated	46	39%	29 - 49
Widowed	30	35%	24 - 46
Never Mar./Unmar. Couple	47	39%	28 - 50
Employment			
Employed for Wages	172	38%	33 - 43
Self-Employed	16	36%	20 - 51
Not Emp for Wages	22	36%	22 - 49
Retired	46	34%	25 - 43
Other			
Limiting pain in last 30 days	57	39%	30 - 48
14+ of last 30 days anxious	35	31%	21 - 41
14+ of last 30 days sad	18	39%	23 - 56
Any activity limitation	43	46%	35 - 57
Diabetes	13	39%	22 - 56
Sedentary lifestyle	142	40%	34 - 46
Overweight/obese (BMI>=25)	150	43%	37 - 48
Current smoking	70	47%	38 - 57
No health insurance	15	32%	15 - 50
Fair or poor health	37	40%	28 - 51
Couldn't afford doctor visit	24	45%	30 - 61
High blood pressure	66	40%	32 - 49
High cholesterol	64	42%	33 - 51
Have a child at home	61	31%	24 - 39

*Respondents who reported fifteen or more hours in the past week of leisure time spent on computer or watching television while sitting or laying down (among all respondents).

Table QQ: Not Enough Muscle Strengthening Activities*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	465	62%	58 - 66
Age Group			
18-24	22	36%	22 - 49
25-34	72	65%	55 - 76
35-44	92	63%	54 - 72
45-54	106	61%	52 - 70
55-64	67	73%	63 - 83
65-74	55	71%	61 - 82
75+	51	74%	63 - 85
Gender			
Male	149	56%	49 - 63
Female	316	68%	63 - 73
Education			
< H.S. Grad	49	74%	60 - 87
High School Grad	150	61%	54 - 68
Some College	159	65%	58 - 72
College Graduate	107	56%	48 - 64
Income			
\$0-\$19,999	59	66%	54 - 79
\$20,000-\$34,999	100	61%	52 - 69
\$35,000-\$49,999	111	71%	63 - 79
\$50,000+	94	57%	49 - 66
Marital Status			
Married	247	65%	60 - 70
Divorced/Separated	85	65%	55 - 74
Widowed	66	73%	63 - 82
Never Mar./Unmar. Couple	64	48%	37 - 59
Employment			
Employed for Wages	287	60%	55 - 65
Self-Employed	28	62%	46 - 78
Not Emp for Wages	48	66%	53 - 79
Retired	99	69%	61 - 77
Other			
Limiting pain in last 30 days	109	68%	59 - 77
14+ of last 30 days anxious	70	68%	58 - 78
14+ of last 30 days sad	33	71%	55 - 86
Any activity limitation	80	75%	66 - 83
Diabetes	37	89%	80 - 98
Sedentary lifestyle	282	73%	68 - 78
Overweight/obese (BMI>=25)	260	66%	60 - 71
Current smoking	101	64%	55 - 73
No health insurance	18	43%	24 - 63
Fair or poor health	69	73%	64 - 83
Couldn't afford doctor visit	37	70%	57 - 83
High blood pressure	135	71%	63 - 78
Male smokeless tobacco use	15	58%	34 - 82
High cholesterol	107	65%	56 - 73

*Respondents reporting zero or one days in the past week that they did activities designed to increase muscle strength or tone, such as lifting weights, pull-ups, push-ups, or sit-ups (among all respondents).

Table RR: Afraid to Leave Home At Night*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	102	12%	10 - 15
Age Group			
18-24	10	14%	5 - 23
25-34	15	9%	4 - 14
35-44	24	15%	9 - 21
45-54	13	6%	3 - 10
55-64	15	14%	7 - 22
65-74	11	13%	5 - 21
75+	14	17%	8 - 27
Gender			
Male	10	3%	1 - 5
Female	92	20%	16 - 24
Education			
< H.S. Grad	11	17%	7 - 28
High School Grad	40	15%	10 - 19
Some College	26	8%	5 - 12
College Graduate	25	12%	7 - 17
Income			
\$0-\$19,999	14	15%	7 - 23
\$20,000-\$34,999	31	18%	11 - 24
\$35,000-\$49,999	22	12%	7 - 17
\$50,000+	12	6%	2 - 9
Marital Status			
Married	51	12%	9 - 15
Divorced/Separated	16	10%	5 - 15
Widowed	21	24%	14 - 34
Never Mar./Unmar. Couple	14	8%	4 - 13
Employment			
Employed for Wages	63	12%	9 - 15
Self-Employed	5	7%	0 - 13
Not Emp for Wages	11	13%	5 - 21
Retired	23	14%	8 - 20
Other			
Limiting pain in last 30 days	26	16%	10 - 22
14+ of last 30 days anxious	17	13%	6 - 19
14+ of last 30 days sad	11	22%	8 - 36
Any activity limitation	16	13%	6 - 20
Diabetes	8	20%	6 - 33
Overweight/obese (BMI>=25)	39	10%	6 - 13
Current smoking	23	12%	7 - 18
No health insurance	9	22%	6 - 37
Fair or poor health	18	19%	10 - 28
Couldn't afford doctor visit	12	19%	8 - 31
High blood pressure	28	14%	8 - 19

*Respondents who reported being very, somewhat, or a little afraid to leave their home at night (among all respondents).

Table SS: Known a Victim of Domestic Violence*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	104	15%	12 - 18
Age Group			
18-24	19	34%	20 - 47
25-34	25	21%	12 - 30
35-44	28	17%	10 - 24
45-54	17	11%	5 - 16
55-64	11	12%	5 - 18
65-74	4	5%	0 - 11
75+	0	0%	-
Gender			
Male	30	13%	8 - 17
Female	74	18%	14 - 22
Education			
< H.S. Grad	10	19%	7 - 31
High School Grad	30	14%	9 - 20
Some College	39	18%	12 - 24
College Graduate	25	12%	7 - 17
Income			
\$0-\$19,999	14	20%	8 - 32
\$20,000-\$34,999	27	16%	10 - 22
\$35,000-\$49,999	20	11%	6 - 16
\$50,000+	27	17%	11 - 24
Marital Status			
Married	50	13%	9 - 17
Divorced/Separated	32	26%	17 - 35
Widowed	1	1%	0 - 3
Never Mar./Unmar. Couple	21	24%	14 - 34
Employment			
Employed for Wages	82	19%	14 - 23
Self-Employed	5	10%	0 - 21
Not Emp for Wages	13	20%	9 - 32
Retired	3	3%	0 - 6
Other			
Limiting pain in last 30 days	33	24%	15 - 32
14+ of last 30 days anxious	39	32%	22 - 43
14+ of last 30 days sad	18	33%	17 - 48
Couldn't afford doctor visit	20	37%	22 - 52
Have a child at home	45	21%	15 - 28
Afraid to leave home at night	18	19%	10 - 27

*Respondents reporting knowing or seeing someone who was beaten or otherwise hurt by a husband, wife, boyfriend, or girlfriend (among all respondents).

Table TT: No Dental Health Care Coverage*

Subpopulation Characteristic	Number at Risk	% Subpop. At Risk	95% CI
	n	%	
Total			
(total)	266	34%	30 - 38
Age Group			
18-24	19	31%	18 - 44
25-34	33	22%	14 - 30
35-44	31	21%	13 - 28
45-54	40	24%	17 - 32
55-64	38	39%	28 - 50
65-74	53	64%	52 - 76
75+	52	74%	62 - 85
Gender			
Male	86	30%	24 - 36
Female	180	38%	33 - 43
Education			
< H.S. Grad	39	63%	49 - 77
High School Grad	91	35%	28 - 41
Some College	80	30%	23 - 36
College Graduate	56	29%	22 - 36
Income			
\$0-\$19,999	61	71%	58 - 83
\$20,000-\$34,999	70	43%	34 - 51
\$35,000-\$49,999	30	19%	12 - 26
\$50,000+	29	16%	10 - 21
Marital Status			
Married	108	28%	23 - 33
Divorced/Separated	56	46%	36 - 56
Widowed	61	65%	55 - 76
Never Mar./Unmar. Couple	41	33%	23 - 43
Employment			
Employed for Wages	106	22%	18 - 27
Self-Employed	22	43%	27 - 59
Not Emp for Wages	31	41%	28 - 54
Retired	105	71%	63 - 79
Other			
Limiting pain in last 30 days	71	42%	33 - 50
14+ of last 30 days anxious	40	36%	25 - 46
14+ of last 30 days sad	23	49%	33 - 66
Any activity limitation	63	52%	42 - 63
Diabetes	26	58%	41 - 74
Sedentary lifestyle	145	36%	31 - 41
Current smoking	55	34%	25 - 43
No health insurance	34	99%	96 - 100
Fair or poor health	54	52%	41 - 64
Couldn't afford doctor visit	41	73%	58 - 88
High blood pressure	84	42%	34 - 50
High cholesterol	60	35%	27 - 43
No dental visit in two years	78	50%	40 - 59
Need dental services	52	37%	28 - 46
Lost tooth to disease	165	46%	40 - 51
Lost six or more teeth	90	62%	53 - 70

*Respondents reporting having no dental health care coverage (among all respondents).

Table UU: No Dental Visit in Past Two Years*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	144	20%	17 - 24
Age Group			
18-24	10	16%	6 - 26
25-34	29	31%	21 - 42
35-44	20	14%	7 - 20
45-54	30	18%	11 - 25
55-64	14	16%	8 - 24
65-74	21	23%	13 - 33
75+	20	27%	16 - 39
Gender			
Male	58	22%	17 - 28
Female	86	18%	15 - 22
Education			
< H.S. Grad	20	28%	15 - 41
High School Grad	56	25%	18 - 31
Some College	46	19%	13 - 25
College Graduate	22	13%	7 - 18
Income			
\$0-\$19,999	26	34%	21 - 47
\$20,000-\$34,999	41	26%	18 - 34
\$35,000-\$49,999	23	17%	10 - 24
\$50,000+	20	12%	7 - 18
Marital Status			
Married	61	17%	13 - 21
Divorced/Separated	27	24%	15 - 33
Widowed	27	29%	19 - 39
Never Mar./Unmar. Couple	27	25%	15 - 35
Employment			
Employed for Wages	82	19%	15 - 24
Self-Employed	9	19%	6 - 31
Not Emp for Wages	15	21%	10 - 31
Retired	38	24%	17 - 32
Other			
Limiting pain in last 30 days	33	19%	12 - 27
14+ of last 30 days anxious	19	15%	8 - 23
Any activity limitation	29	24%	15 - 32
Diabetes	15	34%	18 - 49
Sedentary lifestyle	88	24%	19 - 28
Overweight/obese (BMI>=25)	83	22%	17 - 26
Current smoking	36	23%	15 - 31
No health insurance	10	30%	11 - 49
Fair or poor health	27	24%	15 - 33
Couldn't afford doctor visit	18	38%	22 - 53
Male smokeless tobacco use	8	39%	15 - 64
Need dental services	36	25%	17 - 33
Lost tooth to disease	81	22%	17 - 27
No dental health care coverage	78	29%	23 - 36
Lost six or more teeth	60	41%	32 - 50

*Respondents reporting not visiting the dentist in the past two years (among all respondents).

Table VV: In Need of Dental Services*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	134	19%	16 - 22
Age Group			
18-24	8	12%	3 - 21
25-34	24	22%	13 - 31
35-44	34	24%	16 - 32
45-54	34	23%	15 - 30
55-64	14	16%	8 - 24
65-74	10	13%	5 - 22
75+	10	12%	4 - 20
Gender			
Male	52	19%	14 - 24
Female	82	18%	14 - 22
Education			
< H.S. Grad	16	29%	15 - 42
High School Grad	40	18%	12 - 23
Some College	53	21%	15 - 26
College Graduate	25	13%	8 - 19
Income			
\$0-\$19,999	22	24%	14 - 35
\$20,000-\$34,999	29	19%	12 - 26
\$35,000-\$49,999	30	20%	12 - 27
\$50,000+	25	18%	11 - 24
Marital Status			
Married	65	18%	14 - 22
Divorced/Separated	36	32%	22 - 41
Widowed	11	11%	5 - 18
Never Mar./Unmar. Couple	21	16%	9 - 24
Employment			
Employed for Wages	93	20%	16 - 24
Self-Employed	8	17%	4 - 30
Not Emp for Wages	15	23%	12 - 34
Retired	18	12%	6 - 18
Other			
Limiting pain in last 30 days	44	27%	19 - 34
14+ of last 30 days anxious	39	37%	26 - 48
14+ of last 30 days sad	14	31%	15 - 47
Any activity limitation	24	22%	14 - 31
Diabetes	10	24%	10 - 39
Current smoking	43	27%	19 - 34
No health insurance	16	46%	25 - 67
Fair or poor health	25	26%	16 - 36
Couldn't afford doctor visit	22	48%	32 - 64
No dental visit in two years	36	25%	17 - 33
Lost tooth to disease	86	25%	20 - 30
No dental health care coverage	52	20%	15 - 26
Lost six or more teeth	29	20%	13 - 27

*Respondents reporting a need for any dental service, including fillings, dentures or partials, teeth pulled, caps, crowns, or root canals (among all respondents).

Table WW: Lost One or More Teeth to Decay or Disease*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	347	46%	42 - 50
Age Group			
18-24	8	13%	4 - 23
25-34	25	21%	13 - 30
35-44	60	40%	31 - 49
45-54	76	50%	41 - 59
55-64	60	70%	59 - 81
65-74	61	76%	65 - 87
75+	57	86%	77 - 96
Gender			
Male	116	41%	35 - 48
Female	231	50%	45 - 55
Education			
< H.S. Grad	45	65%	49 - 80
High School Grad	137	55%	48 - 63
Some College	115	44%	37 - 51
College Graduate	49	29%	21 - 36
Income			
\$0-\$19,999	59	72%	60 - 84
\$20,000-\$34,999	76	48%	39 - 57
\$35,000-\$49,999	59	36%	28 - 44
\$50,000+	68	41%	33 - 50
Marital Status			
Married	174	45%	40 - 51
Divorced/Separated	66	55%	45 - 65
Widowed	75	87%	78 - 95
Never Mar./Unmar. Couple	29	24%	15 - 33
Employment			
Employed for Wages	174	36%	31 - 41
Self-Employed	24	57%	40 - 73
Not Emp for Wages	38	49%	36 - 62
Retired	110	77%	69 - 85
Other			
Limiting pain in last 30 days	94	59%	50 - 68
14+ of last 30 days anxious	58	50%	39 - 62
14+ of last 30 days sad	29	63%	46 - 79
Any activity limitation	68	62%	52 - 72
Diabetes	31	68%	51 - 84
Sedentary lifestyle	189	47%	41 - 52
Current smoking	89	55%	46 - 65
No health insurance	19	50%	28 - 71
Fair or poor health	65	66%	54 - 77
Couldn't afford doctor visit	33	58%	42 - 73
High blood pressure	114	58%	50 - 66
High cholesterol	96	61%	52 - 70
No dental visit in two years	81	51%	42 - 61
Need dental services	86	62%	53 - 72
No dental health care coverage	165	62%	55 - 69

*Respondents reporting having lost at least one tooth because of tooth decay or gum disease (among all respondents).

Table XX: Lost Six or More Teeth to Decay or Disease*

Subpopulation Characteristic	Number at Risk n	% Subpop. At Risk %	95% CI
Total (total)	141	17%	15 - 20
Age Group			
25-34	3	2%	0 - 5
35-44	8	5%	1 - 8
45-54	25	16%	9 - 22
55-64	30	35%	24 - 46
65-74	38	45%	33 - 58
75+	37	54%	41 - 68
Gender			
Male	45	14%	10 - 19
Female	96	20%	16 - 24
Education			
< H.S. Grad	34	47%	33 - 62
High School Grad	58	21%	16 - 27
Some College	38	12%	8 - 17
College Graduate	11	7%	3 - 12
Income			
\$0-\$19,999	28	34%	22 - 46
\$20,000-\$34,999	29	17%	11 - 23
\$35,000-\$49,999	18	10%	5 - 15
\$50,000+	16	9%	5 - 14
Marital Status			
Married	63	16%	12 - 20
Divorced/Separated	22	17%	10 - 23
Widowed	48	57%	45 - 68
Never Mar./Unmar. Couple	8	5%	1 - 9
Employment			
Employed for Wages	48	9%	7 - 12
Self-Employed	8	20%	6 - 33
Not Emp for Wages	19	22%	12 - 31
Retired	66	45%	36 - 54
Other			
Limiting pain in last 30 days	44	25%	17 - 32
14+ of last 30 days anxious	18	15%	8 - 22
14+ of last 30 days sad	11	23%	10 - 37
Any activity limitation	43	39%	29 - 49
Diabetes	20	42%	26 - 59
Sedentary lifestyle	80	17%	13 - 21
Current smoking	38	20%	14 - 27
No health insurance	9	21%	6 - 36
Fair or poor health	44	45%	33 - 56
Couldn't afford doctor visit	14	23%	11 - 34
High blood pressure	57	28%	21 - 35
High cholesterol	45	28%	20 - 36
No dental visit in two years	60	36%	27 - 44
Need dental services	29	19%	12 - 26
No dental health care coverage	90	31%	25 - 38

*Respondents reporting having lost six or more teeth because of tooth decay or gum disease (among all respondents).